

FOLDING SOLAR PANEL

Model	Photo	Specifications	Remarks
KSFL-30	 The photo shows the KSFL-30 solar panel in its folded state, lying flat on grass. Below it are various accessories including cables and connectors. To the right is a smaller photo of the panel set up on a stand. At the bottom are two technical drawings: a front view showing dimensions 740mm width and 350mm height, and a side view showing a folded height of 285mm and a width of 350mm.	Peak power(Pmax): 30Wp Working Voltage(Vmp): 18.00V Working Current(Imp): 1.67A Open Circuit Voltage(Voc): 21.00V Short Circuit Current(Isc): 1.83A Solar Cell: Mono 156.75 Operating Temperature: -40°C~+70°C Output Port: DC 5.5*2.1/USB*2 Folded Size: 350*285*35mm Expanding Size: 760*350*5mm Individual Packaging Size: 370*325*50mm Net Weight: 1.45Kgs Gross Weight: 1.70Kgs Carton Size: 385*425*345mm Qty./Carton: 8 PCS Weight/Carton: 14.60Kgs	
Model	Photo	Specifications	Remarks
KSFL-40	 The photo shows the KSFL-40 solar panel in its folded state, lying flat on grass. Below it are various accessories including cables and connectors. To the right is a smaller photo of the panel set up on a stand. At the bottom are two technical drawings: a front view showing dimensions 880mm width and 405mm height, and a side view showing a folded height of 350mm and a width of 405mm.	Peak Power(Pmax): 40Wp Working Voltage(Vmp): 18.00V Working Current(Imp): 2.22A Open Circuit Voltage(Voc): 21.00V Short Circuit Current(Isc): 2.44A Solar Cell: Mono 156.75 Operating Temperature: -40°C~+70°C Output Port: DC 5.5*2.1/USB*2 Folded Size: 405*350*35mm Expanding Size: 890*405*5mm Individual Packaging Size: 425*390*50mm Net Weight: 1.90Kgs Gross Weight: 2.20Kgs Carton Size: 440*325*410mm Qty./Carton: 6 PCS Weight/Carton: 14.30Kgs	

FOLDING SOLAR PANEL

Model	Photo	Specifications	Remarks
KSFL-60		Peak Power(Pmax): 60Wp	
		Working Voltage(Vmp): 18.00V	
		Working Current(Imp): 3.33A	
		Open Circuit Voltage(Voc): 21.00V	
		Short circuit current(Isc): 3.67A	
		Solar Cell: Mono 156.75	
		Operating Temperature: -40°C~+70°C	
		Output Port: DC 5.5*2.1/USB*2	
		Folded Size: 405*350*40mm	
		Expanding Size: 1260*405*5mm	
		Individual Packaging Size: 425*390*55mm	
		Net Weight: 2.55Kgs	
		Gross Weight: 2.85Kgs	
		Carton Size: 440*300*410mm	
		Qty./Carton: 5 PCS	
		Weight/Carton: 15.40Kgs	
Model	Photo	Specifications	Remarks
KSFL-80		Peak Power(Pmax): 80Wp	
		Working Voltage(Vmp): 18.00V	
		Working Current(Imp): 4.44A	
		Open Circuit Voltage(Voc): 21.00V	
		Short Circuit Current(Isc): 4.89A	
		Solar Cell: Mono 156.75	
		Operating Temperature: -40°C~+70°C	
		Output Port: DC 5.5*2.1/USB*2	
		Folded Size: 405*350*45mm	
		Expanding Size: 1630*405*5mm	
		Individual Packaging Size: 425*390*55mm	
		Net Weight: 3.20Kgs	
		Gross Weight: 3.50Kgs	
		Carton Size: 440*245*410mm	
		Qty./Carton: 4 PCS	
		Weight/Carton: 15.40Kgs	

FOLDING SOLAR PANEL

Model	Photo	Specifications	Remarks
KSFL-100		Peak Power(Pmax): 100Wp	
		Working Voltage(Vmp): 18.00V	
		Working Current(Imp): 5.56A	
		Open Circuit Voltage(Voc): 21.00V	
		Short Circuit Current(Isc): 6.11A	
		Solar Cell: Mono 156.75	
		Operating Temperature: -40℃~+70℃	
		Output Port: DC 5.5*2.1/USB*2	
		Folded Size: 528*350*45mm	
		Expanding Size: 1650*528*5mm	
		Individual Packaging Size: 550*390*55mm	
		Net Weight: 4.00Kgs	
		Gross Weight: 4.30Kgs	
		Carton Size: 565*205*410mm	
		Qty./Carton: 3 PCS	
		Weight/Carton: 14.30Kgs	
Model	Photo	Specifications	Remarks
KSFL-120		Peak Power(Pmax): 120Wp	
		Working Voltage(Vmp): 18.00V	
		Working Current(Imp): 6.67A	
		Open Circuit Voltage(Voc): 21.00V	
		Short Circuit Current(Isc): 7.33A	
		Solar Cell: Mono 156.75	
		Operating Temperature: -40℃~+70℃	
		Output Port: DC 5.5*2.1/USB*2	
		Folded Size: 528*350*45mm	
		Expanding Size: 1650*528*5mm	
		Individual Packaging Size: 550*390*55mm	
		Net Weight: 4.00Kgs	
		Gross Weight: 4.30Kgs	
		Carton Size: 565*205*410mm	
		Qty./Carton: 3 PCS	
		Weight/Carton: 14.30Kgs	